



Vaccines -

Are they for us?



4 Topics I'll be covering

- Heavy metals & toxins in vaccines
- What does the bible say about vaccines?
- Healthy alternatives to vaccines
- Q&A session

Heavy Metals & Toxins

Neurotoxins

Aluminum Hydroxide
Aluminum Phosphate
Aluminum Potassium sulfate
Thimerosal (50% mercury)

How toxic is mercury?



Toxic Levels of Mercury

EPA standards are that an adult receive no more than .1 mcg of mercury per kilogram of body weight. (2.2 lbs)

Mercury in Childhood Vaccines

Childhood vaccines are considered mercury free even if they contain .3 mcg of mercury Post production.

This means a child would need to weigh at least 6.6 lbs. To receive a childhood vaccine.

But what about the seasonal flu vaccine?

Mercury levels in seasonal/H1N1

A seasonal flu vaccine or an H1N1 vaccine contains 25 mcg of Thimerosal, which is 50% mercury.

This means a child would need to weigh at least 275 lbs. To receive that much mercury in shot.

How many 6 month olds do you know that weigh that much?

Same Dosage?



Aluminum

The Hepatitis B vaccine that is given to babies at birth has 200 mcg of Aluminum in it.

A toxic dose is 20 mcg.

Newborns are receiving 10 times toxic dose of aluminum at birth when they are the most susceptible to illness.

Aluminum vs. Mercury

Both are neurotoxins. They have substituted aluminum for mercury & are causing the same problems that mercury did.

Other toxins

Formaldehyde – Used for embalming of dead bodies


Ethylene glycol – Antifreeze

Polysorbate 80 – Known to cause infertility in rats

Hydrochloric Acid – Acid eats away at materials

ARE WE POISONING OUR KIDS IN THE NAME OF PROTECTING THEIR HEALTH?

COMPARISON OF CDC MANDATORY SCHEDULE
Children birth to six years (recommended month)



Green our vaccines. And administer them with greater care.

Mercury. Aluminum. Formaldehyde. Ether. Antifreeze. Not exactly what you'd expect—or want—to find in your child's vaccinations. Vaccines that are supposed to safeguard their health yet, according to our studies, can also do harm to some children.

The statistics speak for themselves. Since 1983, the number of vaccines the CDC recommends we give to our kids has gone from 10 to 36, a whopping increase of 260%. And, with it, the prevalence of neurological disorders like autism and ADHD has grown exponentially as well.

Just a coincidence? We don't think so. Thousands of parents believe their child's regression into autism was triggered, if not caused, by over-immunization with toxic ingredients and live viruses found in vaccines. The Centers for Disease Control and the American Academy of Pediatrics dispute this but independent research and the first-hand accounts of parents tell a different story.

Why are we giving our children so many more vaccines so early in life?

Why do we only test vaccines individually and never consider the combination risk of vaccines administered together? Given the dramatic rise of autism to epidemic levels, isn't it time for the scientific community to seriously consider the anecdotal evidence of so many parents? We urge the CDC and AAP to help us find the answers to these questions and learn why the increase in the number and composition of so many vaccinations has led to a surge in neurodevelopmental disorders. Our children deserve no less.

GENERATION RESCUE

www.generationrescue.org

We want to thank Jim Carrey and Jerry McCarthy for their generous support of Generation Rescue and their never-ending commitment to solving the growing challenge of autism.

How many shots before school?

With the current schedule, a child receives over 50 vaccines before entering school.

The amount of neurotoxins in vaccines may be low BUT they are exposed to more now than every before.

Autism Stats

1983 - Autism in 1 in 10,000 kids

2003 – Autism in 1 in 150 kids

2010 Estimated – 1 in 67 kids

Epidemic

Currently 24 vaccines contain aluminum.

And 13 vaccines contain various amounts of Thimerosal.

Its no wonder there is an epidemic of children with autism, ischemic strokes & other brain disorders.

Simpsonwood Conference

Meeting between the CDC, FDA &
Top vaccine specialists from the WHO

No note taking or recording was allowed

Simpsonwood Cont.

Meeting confirmed a link between

Autism & Vaccines

But that the results would have to be handled,
So they wouldn't fall into
“less responsible hands”.

Simpsonwood Cont.

Dr. John Clements, WHO Vaccine Advisor

Declared the CDC study should have never been done.

He said all children should receive Thimerosal Containing vaccines.

Tainted Study

The CDC instructed the Institute of Medicine
To conduct another study with
Predetermined results -

Vaccines do not cause autism.

More toxins

Ammonium sulfate, amphotericin B, Bactopeptone, Benzethonium chloride, chlortetracycline, cystine, Ethylenediamine-tetraacetic acid sodium, histidine, MSG, phenol, polydimethylsiloxane, sodium chloride, sodium deoxycholate, sodium hydroxide, Sorbitol, tocopheryl hydrogen succinate, tyrosine,

If you can't pronounce them do you
really want them injected into your
body??

**What does the bible
say about vaccines?**

Unclean Animals

Lev. 11 shows us which animals are clean & unclean.

Meaning – Which animals we can eat & which ones we can't eat.

BUT.....

Did you know that there are unclean animals in vaccines?

What are they?

Monkey Kidney Tissue, Insect Cell Protein,
Mouse Serum Protein, Gelatin (pork based)

MRC-5 & Human Serum Albumin are from
aborted Fetus cells

If we are NOT to eat this animals,

Doesn't it make sense that we don't inject them
into our bodies?

Lev. 17

Lev. 17 tells us NOT to eat the blood of the animal.

Some of these vaccines are grown on the unclean animal, the cells are then scrapped off & put in the vaccine. Some of the blood from that animal is in that vaccine.

Acts 15:20

Acts 15:20 - But that we write unto them, that they abstain from pollutions of idols, and from fornication, and from things strangled, and from blood.

Since these vaccines are being cultured on these unclean animals & then scraped off of them, the blood of these animals is bound to be within these vaccines.

Eze. 16:21

21 You slaughtered my children and sacrificed them to the idols.

What idols?

We can't serve 2 Gods – YHVH & money

Many women abort their children if it isn't a good time in their career or time in life to have a child.

Big PHARMA buy aborted fetus to GROW
Vaccine cultures on these unborn
children.

What vaccines have fetus cells?

More than you think.....

Vaccine (No. of Doses)	Birth	1-2 Mos	4 Mos	6 Mos	12 Mos	15 Mos	18 Mos	19-23 Mos	2-3 Yr	4-6 Yr	7-10 Yr	11-12 Yr	13-18 Yr	Adult
Hepatitis-B (3)	X	X		F	←————→		T							
Rotavirus (3)		X	X	X										
DTaP (5)		X	X	X		F	←————→	T		X				
HiB (4)		X	X	X	F	←————→	T							
Pneumococcal (4)		X	X	X	F	←————→	T							
Polio (4)		X	X	F	←————→		T			X				
Flu/H1N1 (Annually)				F	←————→									T
M-M-R (2)					F	←————→	T			X				
Varicella-Chickenpox (2)					F	←————→	T			X				
Hepatitis-A (2)					F	←————→		T						
Meningococcal MCV									F	←————→	T		X	
Rabies As Required														
Shingles/Zostavax														X

Aborted Fetal Version	Fetal Cells	Abortion Not Involved														
Polio: Poliovax, Pentacel, DT Polio Adsorbed, Quadracel - Sanofi	MRC-5	IPOL - Separate dose Sanofi (Vero Cells)	Pediarix: DTaP+Polio+Hep-B (GSK)	DTaP + Polio (All products (Vero Cells))												
MMR, Meruvax II, Priorix, MRVax, Erolalix, Biavax- Merck, GSK	RA273 WI-38	Rubella: None in US, Canada	Measles Only: Attenuvax Merck (Chick egg)	Mumps Only: Mumpsvax Merck (Chick egg)												
Varivax, Varilix - Merck, GSK Proquad*, MMR-V* - Merck	MRC-5, RA273, WI-38	Chickenpox None in US, Canada	<div style="border: 2px solid red; padding: 5px;"> <p style="text-align: center;">Other Aborted Fetal Cell Lines Products</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Product</th> <th>Fetal Cells</th> <th>Alternative</th> </tr> </thead> <tbody> <tr> <td>Enbrel</td> <td>WI-26</td> <td>Humira</td> </tr> <tr> <td>Pulmozyme</td> <td>HEK</td> <td>None in USA, Canada</td> </tr> <tr> <td>Xigris</td> <td>HEK</td> <td>None in USA, Canada</td> </tr> </tbody> </table> </div>		Product	Fetal Cells	Alternative	Enbrel	WI-26	Humira	Pulmozyme	HEK	None in USA, Canada	Xigris	HEK	None in USA, Canada
Product	Fetal Cells	Alternative														
Enbrel	WI-26	Humira														
Pulmozyme	HEK	None in USA, Canada														
Xigris	HEK	None in USA, Canada														
Hepatitis-A: Vaqta, Havrix, Avaxim, Epaxal, Vivaxim - Merck, GSK, Sanofi	MRC-5	Hepatitis-A None in US, Canada														
Hepatitis A-B combo: Twinrix - GSK	MRC-5	RabAvert Chiron (Chick egg)														
Rabies - Imovax - Sanofi	MRC-5	None in USA, Canada														
Shingles/Zostavax - Merck	MRC-5	None in USA, Canada														

Are we to speak out against
vaccines if we believe they are
wrong?

Lev. 19:17

17 You shall not hate your brother in your heart; but you shall surely rebuke your neighbor, lest you incur sin because of him.

Alternatives

Are there safer alternatives to vaccines?

Sources

GoToWebinar Viewer



Talking: Mayer Eisenstein

91%

start GoToMeeting : Web c... MP3 My MP3 3.0 GoToWebinar 8:19 PM

The image is a screenshot of a GoToWebinar Viewer window. The main content is a comparison graphic. On the left is a piece of salmon, in the middle is a mushroom, and on the right is a large pile of yellow capsules. The text 'VS' is centered between the mushroom and the capsules. The background of the graphic is a bright sunburst over a blue sky with clouds. The window title bar shows 'GoToWebinar Viewer' and standard window controls. The bottom of the window shows a Citrix logo, the speaker name 'Talking: Mayer Eisenstein', and a volume indicator at 91%. The Windows taskbar at the bottom shows the start button, several open applications (GoToMeeting, MP3 My MP3 3.0, GoToWebinar), and the system clock showing 8:19 PM.

How Much?

GoToWebinar Viewer

Dr Eisenstein's Daily Minimum Recommendation for Vitamin D

1. **Pregnant and nursing mothers**- -10,000IU
2. **Children and Adolescents**- 2,000-3000IU
3. **Adults** 5,000IU
4. **Adults with Chronic Illness**-10,000IU
5. **Adults with Colds and flu** -50,000IU 3-5 days
6. **Children with Colds and Flu**

The 25(OH)D blood test can determine your levels 100IU of Vitamin D will raise your blood levels approximately 1ng/ml

Normal Blood levels should be in the range of 40-60ng/ml
Blood levels for chronic conditions 80-100ng/ml

Talking: Mayer Eisenstein 91%

CITRIX® start GoToMeeting : Web c... MP3 My MP3 3.0 GoToWebinar 8:10 PM


Is D3 good for preventing
other illness?

So how much sun time do I need?

You need to be outside,
With 40% body exposure
For 15-20 min.

Between 10 am & 2 pm

This is about 15,000 IU



Too much?

A lifeguard who spends the day

At the pool for 8 hours

Gets about 50,000 IU

Low Vitamin D Raises Teens' Risk of Diabetes, Heart Disease

- March 11, 2009 -- Low vitamin D levels greatly increase a teenager's risk of diabetes and heart disease, Johns Hopkins researchers find.
- It is becoming clear that adults who get too little vitamin D are at higher risk for diabetes and heart disease. Now, it appears vitamin D levels also affect these risks earlier in life, say Johns Hopkins researchers Jared P. Reis, PhD, and colleagues.
- Compared to the 25% of teens with the highest levels of vitamin D in their blood (more than 26 nanograms per milliliter), the 25% of teens with the lowest vitamin D levels (less than 15 ng/ mL) had:

Vitamin D and Mental Health

- A study published in the *Journal of Geriatric Psychology and Neurology* has revealed that vitamin D could help ward off the decline in mental function which usually accompanies old age.
- Its findings add on to other recent studies which had also suggested vitamin D has protective effects in this area.

Vitamin D Protects Against Heart Attack

Mon Jun 9, 2008 4:00pm EDT

Men with low levels of vitamin D have an elevated risk for a heart attack, researchers said in the latest study to identify important possible health benefits from the "sunshine vitamin."

In the study, men classified as deficient in vitamin D were about 2 1/2 times more likely to have a heart attack than those with higher levels of the vitamin.

"Those with low vitamin D, on top of just being at higher risk for heart attack in general, were at particularly high risk to have a fatal heart attack," study author Dr. Edward Giovannucci of the Harvard School of Public Health and Brigham and Women's Hospital in Boston said in a telephone interview.


How does D convert to D3?

THE SUN AND VITAMIN D

1 Ultraviolet-B rays convert a derivative of cholesterol — already present in the **skin** — into Vitamin D3, which then travels to the liver.

2 The **liver** converts Vitamin D3 to another form called 25-hydroxy-Vitamin D, which is what doctors measure in the blood.

3 The **kidneys** convert this form to the final active hormone that may have many effects throughout the body, including enabling calcium absorption in the intestines.



POSSIBLE EFFECTS OF VITAMIN D DEFICIENCY

- Brain**
 - Schizophrenia
 - Depression
- Lungs**
 - Asthma
 - Wheezing
- Circulatory**
 - High blood pressure
 - Coronary heart disease
 - Stroke
- Muscles/bones**
 - Muscle weakness, aches
 - Rickets
 - Osteoporosis
 - Osteomalacia (soft bones)
- Immune System**
 - Type 1 diabetes
 - Multiple sclerosis
 - Rheumatoid arthritis
 - Weakened response to fight tuberculosis, influenza and other infectious diseases
- Cancer**

Possibly associated with a variety of cancers, including colon, breast, prostate and ovarian

OTHER SOURCES OF VITAMIN D

Vitamin D3 can be found in fortified milk, some foods and supplements. Ingested this way, the Vitamin D3 makes its way to the liver and is converted, just like skin-produced Vitamin D3. But some scientists say current recommendations



Additional Info

homefirst.com

drtenpenny.com

exemptmychild.com

More info

Gordonresearch.com

childhoodshots.com

helpyourautisticchild.com/chart

VaccineFreeHealth.blogspot.com